

Mapped, edited, and published by the Geological Survey
in cooperation with State of Michigan agencies

Control by USGS and USC&GS


Topography by photogrammetric methods from aerial
photographs taken 1969. Field checked 1970

Selected hydrographic data compiled from U.S. Lake Survey
Chart 758 (1969). This information is not intended
for navigational purposes


Polycyclic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue

Red tint indicates areas in which only landmark buildings are shown

To place on the predicted North American Datum 1983
move the projection lines 1 meter north and
3 meters east as shown by dashed corner ticks



SCALE 1:24,000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 576.8 FEET



ROAD CLASSIFICATION

Primary highway, hard surface	Light duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

BENTON HARBOR, MICH. AUG 14 1980

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND BY THE GEOLOGICAL SURVEY DIVISION
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled from aerial
photographs taken 1978. Map edited 1980
This information not field checked
Purple tint indicates extension of urban area

USGS
Historical File
Topographic Division
N4200-W8622.5/7.5
1970
PHOTOREVISED 1980
DMA 3768 III SW—SERIES V862

1850