



FILE COPY  
Geological Survey  
Washington, D.C.

Maped, edited, and published by the Geological Survey  
Control by USGS, USCGS, USCE, and City of Detroit  
Culture and drainage in part compiled from aerial photographs  
Topography by plane-table surveys 1938. Culture revised 1952  
Hydrography from U. S. Lake Survey Chart 41 (1:30,000)  
Canadian topography copied from Windsor quadrangle (1:63,360)  
1909, revised 1939, Canadian Department of National Defence  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Michigan coordinate system,  
east zone  
Red tint indicates areas in which only  
landmark buildings are shown

SCALE 1:24,000  
1 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 0 5 10 15 20 25 30 35 KILOMETER  
CONTOUR INTERVAL 5 FEET  
CONTOUR INTERVAL IN CANADIAN AREA 25 FEET  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT  
FOLLOWING STAGES: LAKE ST. CLAIR-573 AND LAKE ERIE-570  
APPROXIMATE MEAN  
DECLINATION, 1952

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division  
MICHIGAN  
QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Heavy-duty 4 LANE 6 LANE Light-duty  
Medium-duty 4 LANE 6 LANE Unimproved dirt  
U. S. Route State Route  
DETROIT, MICH.  
N4215-W8300/7.5  
1952

FILE COPY  
Geological Survey  
Washington, D.C.

MAY 4 1954  
4745