



Produced by the U. S. Geological Survey  
Control by USGS, NOS/NOAA, U. S. Lake Survey  
and International Boundary Commission  
Topography by photogrammetric methods from aerial photographs  
taken 1954-55. Field checked 1964  
Selected hydrographic data compiled from U. S. Lake Survey  
Chart 61 (1961). This information is not intended for  
navigational purposes  
Projection and 10,000-foot grid ticks: Michigan coordinate  
system, north zone (Lambert conformal conic)  
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue  
1927 North American Datum (NAD 27)  
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks  
The values of the shift between NAD 27 and NAD 83 for 7.5-minute  
intersections are given in USGS Bulletin 1875  
There may be private inholdings within the boundaries of  
the National or State reservations shown on this map  
Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked  
Photinspected from 1992 source; no major culture or drainage  
changes observed. Boundaries and names revised 1994

SCALE 1:24,000  
CONTOUR INTERVAL 10 FEET  
SEA LEVEL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 578.5 FEET  
UTM GRID AND 1994 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET  
124 MILS 1:56 38 MILS  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION  
Medium-duty ——— Light-duty ———  
Unimproved dirt - - - - -  
1964  
PHOTOREVISED 1976  
MINOR REVISION 1994  
DMA 4276 II SW—SERIES V862

DRUMMOND, MICH.—ONT.  
46083-A6-TF-024  
USGS AND HISTORICAL  
MAP ARCHIVES  
JUL 21 1994  
REC'D FILE COPY