

MILES inginwuy hard surface _____ Unimproved road ... 3° 53 MILS 0°24′ 7 MILS 9000 10 000 6000 7000 8000 1000 1000 2000 3000 4000 5000 Projection and 10,000-foot grid ticks: Michigan coordinate Interstate Route U. S. Route State Route FEET system, north zone (Lambert conformal conic) 1000-meter Universal Transverse Mercator grid, zone 16 CONTOUR INTERVAL 10 FEET MICHIGAI 1927 North American Datum NATIONAL GEODETIC VERTICAL DATUM OF 1929 HERMANSVILLE, MICH. To place on the predicted North American Datum 1983, UTM GRID AND 1989 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET NE/4 POWERS 15' QUADRANGLE move the projection lines 7 meters north and QUADRANGLE LOCATION THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 45087-F5-TF-024 7 meters east as shown by dashed corner ticks Fine red dashed lines indicate selected fence and field lines where AND GEOLOGICAL SURVEY, DEIVVER, COLORADO 80225, OK RESTON, VINGIN MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909 1989 generally visible on aerial photographs. This information is unchecked A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST DMA 3475 II NE-SERIES V862