



3771 H.E.
TRUNCAL



Maped, edited, and published by the Geological Survey in cooperation with State of Michigan agencies
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs taken 1969. Field checked 1972
Selected hydrographic data compiled from U. S. Lake Survey Chart 76 (1973)
This information is not intended for navigational purposes
Projection and 10,000-foot grid ticks: Michigan coordinate system, south zone (Lambert conformal conic)
1000-metre Universal Transverse Mercator grid ticks, zone 16, shown in blue. 1927 North American datum
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks

Map photoinspected 1980
No major culture or drainage changes observed



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND GEOLOGICAL SURVEY DIVISION
NATIONAL GEODETIC VERTICAL DATUM OF 1929
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

PORT SHELDON, MICH.
NW/4 HOLLAND 15' QUADRANGLE
42086-H2-1F-024

1972
PHOTOINSPECTED 1980
DMA 3769 1 NW-SERIES V82

USGS AND HISTORICAL
MAP ARCHIVES
AUG 2 1991
REC'D FILE COPY