

Hydrography from U.S. Lake Survey Chart 94 (1:120 000) 0° 58' 17 MILS CONTOUR INTERVAL 20 FEET State Route U. S. Route Polyconic projection. 1927 North American datum NATIONAL GEODETIC VERTICAL DATUM OF 1929 10,000-foot grid based on Michigan coordinate system, DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS 601 FEET SGS NMD HISTORIC north zone 1000-metre Universal Transverse Mercator grid ticks, UTM GRID AND 1975 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET zone 16, shown in blue RICE LAKE, MICH. QUADRANGLE LOCATION JUN 0 2 1992 Revisions shown in purple compiled from aerial photographs 47088-B3-TF-024 taken 1975. This information not field checked PHOTOINSPECTED 1980 1954 The difference between 1927 North American Datum and North THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by Map photoinspected 1980 No major culture or drainage changes observed REC'D FILE COP PHOTOREVISED 1975 AND GEOLOGICAL SURVEY DIVISION dashed corner ticks MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909 DMA 3378 III NE-SERIES V862 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST