





Prepared by the Army Map Service (BEGN), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1955 by photogrammetric methods and from U.S. Lake Survey charts, 1954-1955. Horizontal and vertical control by USCGS. Photography field annotated 1954. Limited revision of the U.S. area by the U.S. Geological Survey 1967.  
100,000-foot grid based on Michigan coordinate system, central zone

**LEGEND**

**ROAD DATA 1954** PARTIALLY REVISED 1967  
Figures in red denote approximate distances in miles between stars

<b>POPULATED PLACES</b>	<b>ROADS</b>	<b>LANDS &amp; LAKES</b>
Over 500,000	Hard surface, heavy duty	1 LAND & LAKE
100,000 to 500,000	More than two lanes wide	2 LANDS & LAKES
25,000 to 100,000	Two lanes wide; Federal route marker	3 LANDS & LAKES
5,000 to 25,000	Hard surface, medium duty	
1,000 to 5,000	More than two lanes wide	
Less than 1,000	Two lanes wide; State route marker	
	Improved light duty	
	Unimproved dirt	
	Trail	
<b>RAILROADS</b>	Single track	
	Double or Multiple	
	Narrow gauge	
	Standard gauge	
<b>BOUNDARIES</b>	Landmark: School; Church; Other	
International	Depth curve in feet	
State or province	Limit of danger; Reef	
County	Rocks: Awash; Sunken	
City or town	Sealane anchorage	
Park or reservation	Sealane airport	
Horizontal control point	Power line	
Spot elevation in feet	Foreshore flat	
	Intermittent or dry stream	
	Marsh or swamp	
	Woods brushwood	
	Approximate road alignment	



SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

GRID ZONE DESIGNATION: 17T

100,000 M. SQUARE IDENTIFICATION

KV	LV	MV
KU	LU	MU
KV	LV	MV

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT: HALE

- Read letters identifying 100,000 metre square in which the point lies.
- Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself. Estimate tenths from grid line to point.
- Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself. Estimate tenths from grid line to point.

IGNORE THE SMALLER FIGURES OF ANY GRID NUMBER; THESE ARE FOR READING THE FULL COORDINATE. USE ONLY THE LARGER FIGURE OF THE GRID NUMBER.

SAMPLE REFERENCE: 4980000

INTERIOR - GEOLOGICAL SURVEY, RESTON, VIRGINIA - 1976