


Produced by the United States Geological Survey

Control by USGS and NOS/NOAA  
Topography by photogrammetric methods from aerial photographs taken 1973. Field checked 1974

Projection: Minnesota coordinate system, central zone (Lambert conformal conic)  
10,000-foot grid ticks: Minnesota coordinate system, central and south zones  
1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue 1927 North American Datum (NAD 27)

North American Datum of 1983 (NAD 83) is shown by dashed corner ticks  
The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are given in USGS Bulletin 1875

Fine red dashed lines indicate selected fence and field lines where



CONTOUR INTERVAL 10 FEET  
DOTTED LINES REPRESENT 5-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

QUADRANGLE LOCATION  
Revisions shown in purple and woodland compiled in cooperation with State of Minnesota agencies from aerial photographs taken 1991 and other sources  
Contours not revised. This information not field checked

CABLE, MINN.  
SE 1/4 ST. CLOUD 15' QUADRANGLE  
45094-E1-TF-024

1974  
REVISED 1993  
FMS 7175 II NE SERIES 4877

A.H. ROBINSON  
MAP LIBRARY

MAR 24 1994

University of Wisconsin  
Madison

U.S. Regional  
Depository Copy  
DO NOT DISCARD