



Maped, edited, and published by the Geological Survey Control by USGS, NOS/NOAA, and International Boundary Commission Topography by photogrammetric methods from aerial photographs taken 1968. Field checked 1969 Canadian portion copied in part from advance print Fort Frances quadrangle (1:40 000) 1964, Department of Energy, Mines and Resources Selected hydrographic data compiled from U. S. Lake Survey chart 823 (1965). This information is not intended for navigational purposes Polyconic projection, 1927 North American Datum 10,000-foot grid based on Minnesota coordinate system, north zone 1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue Red tint indicates areas in which only landmark buildings are shown To place on the predicted North American Datum 1983 move the projection lines 5 meters north and 14 meters east as shown by dashed corner ticks

SCALE 1:24000
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 50 FEET IN CANADA
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS 1102 FEET

ROAD CLASSIFICATION
Primary highway, all weather, hard surface
Secondary highway, hard surface
Light-duty road, all weather, improved surface
Unimproved road, fair or dry weather
U. S. Route
State Route

ARTHUR H. ROBINSON MAP LIBRARY
University of Wisconsin-Madison
A.H. ROBINSON MAP LIBRARY
FEB 2 1984
University of Wisconsin-Madison