




Mapped, edited, and published by the Geological Survey in cooperation with the State of Minnesota Department of Conservation, and the Iron Range Resources and Rehabilitation Commission Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1959. Field checked 1963  
Depth curves and soundings compiled from charts furnished by Minnesota Department of Conservation

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Minnesota coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue



UTM GRID AND 1963 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

CONTOUR INTERVAL 10 FEET  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Light-duty ————— Unimproved dirt - - - - -

LAPOND LAKE, MINN.

N4800—W9200/7.5

1963

AMS 7580 II SE—SERIES V872

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

AUG 5 1965

3155