UNITED STATES MOTLEY SE QUADRANGLE DEPARTMENT OF THE INTERIOR MINNESOTA 7.5 MINUTE SERIES (TOPOGRAPHIC) GEOLOGICAL SURVEY 94°37′30″ 46°22′30″ 383 R. 31 W. R. 30 W. 382 | 1 930 000 FEET | 46°22′30″ FATEW T. 134 N. 500 000 T. 134 N. T. 133 N. 5136000m.N. . 133 N. 20/ 18 17'30" T. 133 N. г. 132 N. T. 132 N. 460 000 FEET 5124 SHAMINEAU ELEVATION 1270 LAKE Round Lake 379 (CUSHING 1:62 500) 380 SCALE 1:24 000 381 32/30" 376 1 910 000 FEET 35/ 378 Mapped, edited, and published by the Geological Survey ROAD CLASSIFICATION Control by USGS and USC&GS 1000 Topography by photogrammetric methods from aerial photographs taken 1962. Field checked 1963 Heavy-duty..... Light-duty.... 1 .5 0 Medium-duty_____ Unimproved dirt ====== Depth curves compiled from charts furnished by Minnesota Department of Conservation CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL usgs U.S. Route Historical File Topographic Division Polyconic projection. 1927 North American datum 10,000-foot grid based on Minnesota coordinate system, central zone 1000-meter Universal Transverse Mercator grid ticks, UTM GRID AND 1963 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET MOTLEY SE, MINN. zone 15, shown in blue QUADRANGLE LOCATION THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENYER 25, COLORADO OR WASHINGTON 25, D. C.

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST Fine red dashed lines indicate selected fence and field lines where N4615-W9430/7.5 generally visible on aerial photographs. This information is unchecked 1963

APR 2 1964

AMS 7076 I SE-SERIES V872

2640