

MULLIGAN LASW Topography by photogrammetric methods from aerial GN енн - ------Light-duty road, all weather, Unimproved road, fair or dry photographs taken 1966-67. Field checked 1968 1 KILOMETER 1°44′ 31 MILS improved surface \_\_\_\_\_\_ weather \_\_\_\_\_ Polyconic projection. 1927 North American datum r. CONTOUR INTERVAL 5 FEET 10,000-foot grid based on Minnesota coordinate system, NATIONAL GEODETIC VERTICAL DATUM OF 1929 north zone MINN. 1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue To place on the predicted North American Datum 1983 UTM GRID AND 1968 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET MULLIGAN LAKE NE, MINN. QUADRANGLE LOCATION move the projection lines 5 meters north and THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST N4837.5-W9515/7.5 19 meters east as shown by dashed corner ticks There may be private inholdings within the boundaries of 1968 the National or State reservations shown on this map

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked AMS 6981 III NE-SERIES V872

DEC0, 198

1900

O'L'PYM

54)