

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS



Topography by photogrammetric methods from aerial
photographs taken 1965. Field checked 1967

Depth curves and soundings compiled from charts furnished by
Minnesota Department of Conservation

Polyconic projection. 1927 North American datum
10,000-foot grids based on Minnesota coordinate system, south zone
and South Dakota coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 14, shown in blue

To place on the predicted North American Datum 1983
move the projection lines 7 meters north and
26 meters east as shown by dashed corner ticks

There may be private inholdings within the boundaries of
the National or State reservations shown on this map



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - - State Route ○

LAKE BENTON NW, MINN.—S. DAK.
N4422.5—W9622.5/7.5

1967

AMS 6772 IV NW—SERIES V872

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

DEC 22 1981

1900